



#14

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: G. C. Charters

Date: April 23, 2002

Serial No.: 09/683,902

Docket No.: GB920000092US1

Filed: February 28, 2002

Group Art Unit: 2122

For: METHOD, APPARATUS AND COMPUTER
PROGRAM PRODUCT FOR INTEGRATING
HETEROGENEOUS SYSTEMS

Assistant Commissioner for Patents
Washington, D.C. 20231

SUBMISSION OF PRIORITY DOCUMENT

Sir:

Enclosed herewith is a certified copy of European Application No. 0105284.4
filed March 5, 2001, in support of applicant's claim to priority under 35 U.S.C. 119.

Respectfully submitted,

Derek S. Jennings
Reg. Patent Agent/Engineer
Reg. No. 41,473
(914) 945-2144

IBM CORPORATION
Intellectual Property Law Dept.
P. O. Box 218
Yorktown Heights, N. Y. 10598

THIS PAGE BLANK (USPTO)



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

in accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., l.l.c. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.


**CERTIFIED COPY OF
PRIORITY DOCUMENT**

Signed

Dated 6 June 2001

THIS PAGE BLANK (USPTO,

Patents Act 1977
Rule 16



The
Patent
Office

1/77

Request for grant of a patent

05MAR01 E610733-1 D00611
P01/7700 0.00-0105284.4

The Patent Office
Concept House
Cardiff Road
Newport
South Wales NP10 8QQ

05 MAR 2001

1.	Your reference	GB920000092GB1		
2.	Patent application number (The Patent Office will fill in this part)	0105284.4		
3.	Full name, address and postcode of the or of each applicant (<i>underline all surnames</i>)	INTERNATIONAL BUSINESS MACHINES CORPORATION Armonk New York 10504 United States of America		
	Patents ADP number (<i>if you know it</i>)	00519637001		
	If the applicant is a corporate body, give the country/state of its incorporation	State of New York United States of America		
4.	Title of the invention	METHOD, APPARATUS AND COMPUTER PROGRAM PRODUCT FOR INTEGRATING HETEROGENEOUS SYSTEMS		
5.	Name of your agent (<i>if you have one</i>)	M J Jennings		
	"Address for Service" in the United Kingdom to which all correspondence should be sent (<i>including the postcode</i>)	IBM United Kingdom Limited Intellectual Property Department Hursley Park Winchester Hampshire SO21 2JN		
	Patents ADP number (<i>if you know it</i>)	07783715001		
6.	If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (<i>if you know it</i>) the or each application number	Country	Priority App No (<i>if you know it</i>)	Date of filing (<i>day/month/year</i>)
7.	If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date or the earlier application	No of earlier application	Date of filing (<i>day/month/year</i>)	

THIS PAGE BLANK (USPTO)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:
a) any applicant named in part 3 is not an inventor, or
b) there is an inventor who is not named as an applicant, or
c) any named applicant is a corporate body.) Yes

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description 12

Claim(s) 8

Abstract 1

Drawing(s) 6 + 6 SW

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents


Statement of inventorship and right to grant of a patent (Patents Form 7/77) 3

Request for preliminary examination and search (Patents Form 9/77)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)


11. I/We request the grant of a patent on the basis of this application


Signature
M J Jennings

2 March 2001
Date

12. Name and daytime telephone number of person to contact in the United Kingdom P J Stretton
01962 815830

THIS PAGE BLANK (USPTO)



The
Patent
Office

7/77

Patents Act 1977
Rule 15

Statement of inventorship and of right to grant of a patent

05 MAR 2001

The Patent Office
Concept House
Cardiff Road
Newport
South Wales NP10 8QQ

1.	Your reference	GB920000092GB1
2.	Patent application number (if you know it)	0105284.4
3.	Full name of the or of each applicant	INTERNATIONAL BUSINESS MACHINES CORPORATION
4.	Title of invention	METHOD, APPARATUS AND COMPUTER PROGRAM PRODUCT FOR INTEGRATING HETEROGENEOUS SYSTEMS
5.	State how the applicant(s) derived the right from the inventor(s) to be granted a patent	By employment and by agreement
6.	How many, if any, additional Patents Forms 7/77 are attached to this form?	
7.	I/We believe that the person(s) named over the page (and on any extra copies of this form) is/are the inventor(s) of the invention which the above patent application relates to.	
	Signature M J Jennings	2 March 2001 Date
8.	Name and daytime telephone number of person to contact in the United Kingdom	P J Stretton Tel: 01962 815830

THIS PAGE BLANK (USPTO)

Enter the full names, addresses and postcodes of the inventors in the boxes and underline the surnames

Graham Castree CHARTERS
(UK resident)
c/o IBM United Kingdom Limited
Intellectual Property Law
Hursley Park
Winchester
Hampshire SO21 2JN
England

Patents ADP number (if known)

08095267001

Amanda Elizabeth CHESSELL
(UK resident)
c/o IBM United Kingdom Limited
Intellectual Property Law
Hursley Park
Winchester
Hampshire SO21 2JN
England

Patents ADP number (if known)

07788953001

If there are more than three inventors, please write their names and addresses on the back of another Patents Form 7/77 and attach it to this form

REMINDER

Have you signed the form?

Patents ADP number (if known)

THIS PAGE BLANK (USPTO)

METHOD, APPARATUS AND COMPUTER PROGRAM PRODUCT FOR INTEGRATING
HETEROGENEOUS SYSTEMS

Field of the Invention

5 This invention relates to the field of integration of enterprise applications and systems, and more particularly to the integration of heterogeneous systems in which support for qualities of service, such as synchronization and recovery, may be required by some subsystems, and provided or not provided by other subsystems.

10 Background of the Invention

Enterprise Application Integration (EAI) is key to many companies' business strategies. The ability to integrate existing systems with new systems is seen as an essential in, for example, web-enabling existing applications. A fundamental part of EAI is the ability to coordinate updates made to disparate systems that form part of an enterprise information system. For example, a new application, running on an application server, which brings together in an enterprise information system two existing database applications and an Enterprise Resource Planning, or ERP, system (for example, SAP R/3) needs to be able to coordinate updates made to those three systems. The inability to do so could result in loss of data integrity.

25 The technology which provides the access to the systems and the integration with the application server is often referred to as Connectors. Connector coordination can be provided through two interfaces, the coordinator and the resource. Resources can represent Enterprise Information Systems, as shown in Figure 2. An Enterprise Information System may comprise databases, ERP systems, and the like. The Resources require certain Quality of Service commitments from their environments (via the Coordinator). ("Quality of Service" is used here to refer to such characteristics of systems as their level of support for recoverability of data after a system failure. Some systems provide full recovery support, while others do not. Other such characteristics are, for example, the ability or otherwise to support asynchronous processing.) The use of coordinator and resource interfaces is found in transaction services such as that provided by the Object Management Group's (OMG) CORBA specification, known as the Object Transaction Service (OTS). In general with such services, the implementation of both the resource and the coordinator is provided by the same organization. This means that the

30

35

40

Quality of Service (QOS) required and provided by each is known from the beginning.

EAI introduces a new dimension of difficulty which is unavoidable due to the large numbers of heterogeneous systems which need to be integrated, and the large number of application servers which need to provide integration. A significant problem is that the implementers of the coordinator or coordinators and the implementers of the resource or resources may be different organizations whose members may never have met or communicated. In an attempt to overcome the differences between systems supplied by different vendors, the J2EE Connector Architecture specification allows a resource adapter to describe a resource's capabilities in a deployment descriptor, but the application server and the coordinator are required to support all possible options, which is cumbersome for some lightweight runtimes.

Measures of QOS for coordinators and resources include commit phase support (also known as sync level support), which may be one phase commit or two phase commit, and recovery support (that is, whether or not logging is supported to preserve integrity beyond a system crash).

The ways in which these QOS are provided, and the QOS resulting from different coordinator and resource pairings can vary greatly, and some pairings may be invalid. The provision of commit phase support and recovery support is essential in systems which have a characteristic known as "transactionality".

The term "transactionality" is used in the field of data processing to refer to the characteristic of a piece of data processing work that may be defined as having a necessary unity. For example, the data processing task of processing a cash withdrawal from an automated teller machine has several elements, but all must take place for the transaction to be completed. The user's identity must be verified, the cash must be issued, and the user's account must be updated to reflect the new balance after the withdrawal, and so on. If the machine runs out of cash or suffers some other failure, so that the withdrawal does not take place, the user's account must not be updated, or, if it has already been updated before the point of failure, the update must be cancelled so that the account returns to its previous state. For background information on the properties of transactions, see Transaction Processing: Concepts and Techniques, J. Gray and A. Reuter.

Clearly, however, there exist more complex business environments requiring characteristics other than those of this simple, unitary transaction model, and these are the subject of continuing study and research. For background information on more complex transaction environments, see Database Transaction Models, Ahmed K. Elmagarmid, ed., and Advanced Transaction Models and Architectures, Jajodia and Kerschberg, eds. Examples taken from real life include, for example, the booking of a vacation, which may involve multiple transactions to book flights and hire cars, reserve hotel rooms, and so on, using a number of different systems independently developed by different suppliers. The management of transactions and coordination of updates in such environments adds to the complexity of the problems faced by application developers, and the cumbersome nature of existing solutions is unacceptable in environments in which performance is critical.

Summary of the Invention

The present invention accordingly provides, in a first aspect, a method for integrating heterogeneous processing systems, said method comprising the steps of:

requesting by a first one of a resource component and coordinator pair a first indicator indicating a first quality of service supported by a second one of said pair; responding by said second one of said pair with said first indicator; receiving by said first one of said pair said first indicator; responsive to said first indicator, determining by said first one of said pair whether said first quality of service is acceptable; responsive to said determining, offering by said first one of said pair to permit one of joining in coordination with said second one of said pair and not joining in coordination with said second of said pair; responsive to said offering by said first one of said pair to permit joining in coordination with said second one of said pair, requesting by said second one of said pair a second indicator indicating a second quality of service acceptable to said first one of said pair; responding by said first one of said pair with said second indicator; receiving by said second one of said pair said second indicator; responsive to said second indicator, determining by said second one of said pair to permit joining in coordination with said first one of said pair; and responsive to determining by said second one of said pair to permit joining in coordination with said first one of said pair, determining a quality of service provision for said coordination.

Preferably, said first one of said pair comprises a resource component and said second one of said pair comprises a coordinator.

Preferably, said resource component comprises a resource manager.

Preferably, said resource component comprises a resource adapter.

Preferably, a resource manager of the first aspect comprises a database manager.

Preferably, said resource manager comprises an Enterprise Resource Planning system.

Preferably, said coordinator comprises a transaction manager.

Preferably, said first one of said pair comprises a coordinator and said second one of said pair comprises a resource component.

Preferably, said resource component comprises a resource manager.

Preferably, said resource component comprises a resource adapter.

Preferably, said resource manager comprises a database manager.

Preferably, said resource manager comprises an Enterprise Resource Planning system.

A method according to the first aspect may be performed at startup of a server.

A method performed at the startup of a server preferably comprises the prior step of: sending, by said server, a request to a first one of a resource and coordinator pair to initiate requesting said first indicator indicating a quality of service supported by a second one of resource and coordinator pairs.

Preferably, at least one of said first and said second qualities of service comprises a commit phase support.

Further preferably, said commit phase support comprises at least one of one phase commit support and two phase commit support.

Preferably, at least one of said first and said second qualities of service comprises recovery support.

Preferably, at least one of said resource component and coordinator pair comprises a platform-independent program code component.

Preferably, a quality of service provision is renegotiated.

In a second aspect, the present invention provides a computer program product comprising computer program code tangibly embodied in a signal bearing medium, said computer program code comprising instructions to, when loaded into a computer system and executed, cause said computer to perform the steps of: requesting by a first one of a resource component and coordinator pair a first indicator indicating a first quality of service supported by a second one of said pair; responding by said second one of said pair with said first indicator; receiving by said first one of said pair said first indicator; responsive to said first indicator, determining by said first one of said pair whether said first quality of service is acceptable; responsive to said determining, offering by said first one of said pair to permit one of joining in coordination with said second one of said pair and not joining in coordination with said second of said pair; responsive to said offering by said first one of said pair to permit joining in coordination with said second one of said pair, requesting by said second one of said pair a second indicator indicating a second quality of service acceptable to said first one of said pair; responding by said first one of said pair with said second indicator; receiving by said second one of said pair said second indicator; responsive to said second indicator, determining by said second one of said pair to permit joining in coordination with said first one of said pair; and responsive to determining by said second one of said pair to permit joining in coordination with said first one of said pair, determining a quality of service provision for said coordination.

Preferred features of the second aspect comprise program elements to perform steps corresponding to the preferred steps of the method of the first aspect.

In a third aspect, the present invention provides apparatus for integrating heterogeneous processing systems, said apparatus comprising: means for requesting by a first one of a resource component and coordinator pair a first indicator indicating a first quality of service supported by a

second one of said pair; means for responding by said second one of said pair with said first indicator; means for receiving by said first one of said pair said first indicator; means responsive to said first indicator, for determining by said first one of said pair whether said first quality of service is acceptable; means responsive to said determining, for offering by said first one of said pair to permit one of joining in coordination with said second one of said pair and not joining in coordination with said second one of said pair; means responsive to said offering by said first one of said pair to permit joining in coordination with said second one of said pair, for requesting by said second one of said pair a second indicator indicating a second quality of service acceptable to said first one of said pair; means for responding by said first one of said pair with said second indicator; means for receiving by said second one of said pair said second indicator; means responsive to said second indicator, for determining by said second one of said pair to permit joining in coordination with said first one of said pair; and means responsive to determining by said second one of said pair to permit joining in coordination with said first one of said pair, for determining a quality of service provision for said coordination.

Preferred features of the third aspect comprise means in the apparatus to perform actions corresponding to the preferred steps of the method of the first aspect.

The present invention thus provides for a negotiation phase between a coordinator and a resource. It does not mandate one particular way of performing this negotiation. One skilled in the art will clearly see that there are a number of possible implementations, with the steps of the negotiation being carried out in sequences other than that described in the preferred embodiment.

Advantageously, in the present invention neither the coordinator nor the resource has sole responsibility for determining whether a particular resource can be coordinated by a particular coordinator. The decision is made by mutual agreement.

The use of a negotiation phase according to the present invention thus advantageously allows more flexibility and the ability for the coordinator and resource to agree on the Quality of Service the pairing can provide, allowing for runtime environments in which not all qualities of

service need to be allowed for, and thereby permitting the use of smaller, less resource-consuming runtimes.

Brief Description of the Drawings

Preferred embodiments of the present invention will now be described by way of example only, with reference to the accompanying drawings, in which:

Figure 1 shows a computer system according to a preferred embodiment of the present invention.

Figure 2 shows the architecture of the prior art as described in the J2EE Connector Architecture specification.

Figure 3 shows the enlisting of a resource for it to participate in a transaction as defined in the prior art J2EE specification.

Figure 4 shows an augmentation of the J2EE enlistment process according to a first preferred embodiment of the present invention.

Figure 5 shows how a resource becomes registered with a coordinator as defined by the prior art CORBA Object Transaction Service (OTS).

Figure 6 shows an augmentation of the OTS resource registering process according to a second preferred embodiment of the present invention.

Detailed description of the preferred embodiments

Preferred embodiments of the present invention may be implemented in apparatus as shown in Figure 1, in which a computer system (100) comprises a resource component (102) and a coordinator (104). Resource component (102) comprises a requester element (106) for requesting a QOS supported indicator from the coordinator (104). Coordinator (104) comprises a responder element (108) for responding with a QOS supported indicator. Resource component (102) further comprises a receiving element (110) which receives the QOS supported indicator, and a determining element (112) for determining whether or not the QOS indicator is such that the resource component (102) should offer to be coordinated by the coordinator (104). Resource component (102) further comprises an offering element (114) for

offering to be coordinated by the coordinator (104). Coordinator (104) further comprises a requester element (116) for requesting, in response to an offer, a QOS supported indicator from resource component (102). Resource component (102) additionally comprises a responder element (118) for responding with a QOS supported indicator. Coordinator (104) comprises a receiver element (120) for receiving a QOS supported indicator from resource component (102), and a determining element (122) for determining whether or not the QOS supported indicator is such that coordinator (104) should agree to coordinate resource component (102). Finally, coordinator (104) comprises a determining element (124) for determining the QOS provision that is required to coordinate the resource component (102). In an alternative embodiment, the elements and components shown in the resource component (102) and the elements and components in the coordinator (104) may be arranged the other way round from that shown in the exemplary drawing in Figure 1, so that, for example, it is a requester element in the coordinator that initiates the exchange of flows, and the exchange of flows continues with a response from a responder element in the resource component, and so on to the end of the negotiation.

It will be clear to one skilled in the art that the embodiment as shown in Figure 1 is much simplified for ease of understanding, and that combinations of computer systems in networks may equally be used in implementing the resource and coordinator components having the features of the preferred embodiments of the present invention. Clearly, too, in such environments, various of the elements of the coordinators and resources may themselves be distributed across multiple computer systems. One skilled in the art will also clearly see that there are a number of possible implementations wherein the steps of the negotiation are carried out in sequences other than that described in the preferred embodiment. The negotiation steps of providing an indicator and requesting an indicator might, for example, be combined in a single message to reduce the number of flows across a network, and the negotiation may be initiated by either the resource, the coordinator, or a "third party".

In the preferred embodiments of the present invention, agreement between a resource and a coordinator is achieved in a minimum of two stages:

1. The resource queries the coordinator for any relevant information it needs in order to make its decision (coordinator QOS information). For example, if the resource supports two phase commit, and recovery, then it

queries the coordinator, through known methods on the coordinator interface, as to whether it supports two phase commit and recovery. It uses the information it gets back to determine whether it will offer itself to the coordinator for coordination.

5

2. When the resource is offered to the coordinator, the Coordinator queries the resource to determine what level of support the resource provides (resource QOS information). The coordinator uses this information to decide whether to allow the resource to be coordinated, and, if so, how. This decision can then be fed back to the application server in the form of an information or warning message stating what QOS the resource and coordinator pairing will provide.

10

15

Again, it will be readily apparent to one skilled in the art that the negotiation between the resource and the coordinator may equally well be carried out the other way round.

20

A Quality of Service table can be used to represent the possible contracts for coordinator and resource pairings. These contracts are matched up to determine the resulting QOS at runtime. Below is an example of a QOS table showing the resulting QOS achieved when matching different coordinator and resource QOS. The example shown is only intended to demonstrate such a table. Tables may differ depending on what assumptions are made. A "-" means that the value is irrelevant to the resulting QOS. "Bracketing" means that the resources are told when to commit or rollback, but do not vote on the decision. "Distributed Bracketing" means the resources are able to vote on the outcome, and therefore the decision is distributed. "Atomic Transaction" means that there is no voting, but there is recovery. "Distributed Atomic Transaction" means that all the resources vote on the outcome, and can be recovered.

25

30

Coordinator		Resource		Number of Resources	Quality of Service
Phase	Recovery	Phase	Recovery		
1	No	-	-	1	Bracketing
-	-	1	No	1	Bracketing
-	No	1	-	1	Bracketing
1	-	-	No	1	Bracketing
1	-	-	-	>1	Bracketing
-	-	1	-	>1	Bracketing
2	No	2	-	-	Distributed Bracketing
2	-	2	No	-	Distributed Bracketing
1	Yes	-	Yes	1	Atomic Transaction
-	Yes	1	Yes	1	Atomic Transaction
2	Yes	2	Yes	-	Distributed Atomic Transaction



The following assumptions were made in the creation of this table:

1. A two phase capable resource or coordinator can use one phase when there is only one resource registered (OTS behaves in this way).
2. There is no Last Agent Optimization (this technique permits a single one phase capable resource to be part of a distributed transaction).
3. A one phase capable resource can register with a two phase capable coordinator and a two phase capable resource can register with a one phase capable coordinator.

It will be clear to one skilled in the art that these assumptions may vary, depending on the nature of the heterogeneous systems that are participating in the overall data processing task.

In Figure 2 is shown a typical configuration of elements comprising a prior art system as defined in the J2EE specification, in which a transaction contract exists between a transaction manager (which represents one possible embodiment of a coordinator) and a resource adapter.

The process by which a resource is enlisted in a system of the prior art defined in the J2EE specification is shown in Figure 3. At Step 1, an application server issues a `getXAResource` call to the managed connection of the resource adapter. At Step 2, the application server issues a `Transaction.enlistResource` resource call to the transaction manager. At Step 3, the transaction manager issues an `XAResource.start` call to the `XAResource`.

In a first preferred embodiment of the present invention, as shown in Figure 4, an additional negotiation phase has been inserted between Steps 2 and 3 of the enlistment process.

Steps 2.1-2.3 are the additional calls created for this negotiation phase. During the enlist, the transaction manager requests the capabilities from the `XAResource` (the `queryCapabilities` call). The details of how the capabilities that are returned are specified is not part of the subject matter of the present invention, but they may implement any interface which allows the resource to describe all its capabilities, such as one or two phase commit, recovery, etc. One skilled in the art will readily understand that there may be various detailed implementations of

such an interface, and that the capabilities listed above (commit support and recovery support) are given as examples rather than being intended as an exhaustive list. The transaction manager decides, based on the returned capabilities, whether it is capable of coordinating the XAResource. If it is capable then it continues on to step 2.2. If not it returns a failure from the enlistResource call.

In step 2.2, the transaction manager offers itself to the XAResource thus permitting the resource to communicate with the transaction manager. In step 2.3, the XAResource queries the transaction manager's capabilities. As with the capabilities of the XAResource, the details of how they are specified is not part of the subject matter of the present invention, but it may implement the same, or a similar, specified interface which allows the transaction manager to describe all its capabilities, such as one or two phase commit, recovery, etc. Again, these capabilities are intended as examples only, and one skilled in the art will readily perceive that information about other capabilities may also be included in the interface. The XAResource decides, based on the returned capabilities, whether it believes it should be coordinated by the transaction manager. If it is satisfied then it returns an "acceptance" from the offerTransactionManager (which may just be a non-error return). If not it returns a "rejection" from the offerTransactionManager call (which could be in the form of an exception). This rejection is then mapped to a failure from the enlistResource call. One skilled in the art will readily understand that the return messages may alternatively take the form of more detailed informational messages, and that it is envisioned that further negotiation steps may be added where, for example, a "second-best-fit" might be acceptable to the resource and coordinator pair.

Figure 5 shows the prior art process by which a resource is registered with a coordinator as defined in the OTS specification. In Step 1, a resource adapter issues a "new" call to a resource. In Step 2, the resource adapter issues "get_control", and at Step 3, "get_coordinator". The resource adapter is now in communication with the coordinator, and at Step 4, it issues "register_resource".

In a second preferred embodiment of the present invention, shown in Figure 6, Steps 4.1-4.3 show an example of the additional calls required to implement the negotiation technique in an OTS environment.

In both the first and the second preferred embodiments, the negotiation is performed between the resource and the coordinator (or transaction manager). One skilled in the art will readily perceive that this negotiation could equally well be performed between the resource adapter and the coordinator. However, this embodiment would require the specification of wholly new interfaces rather than the augmentation of existing interfaces, and is therefore less preferred.

A further alternative embodiment of the present invention would be to have the negotiation phase performed at server startup. In this alternative embodiment, the server would initiate the negotiation between the transaction manager and all the deployed resources or resource adapters.

The present invention is preferably embodied as a computer program product for use with a computer system. Such an implementation may comprise a series of computer readable instructions either fixed on a tangible medium, such as a computer readable medium, e.g., diskette, CD-ROM, ROM, or hard disk, or transmittable to a computer system, via a modem or other interface device, over either a tangible medium, including but not limited to optical or analog communications lines, or intangibly using wireless techniques, including but not limited to microwave, infrared or other transmission techniques. The series of computer readable instructions embodies all or part of the functionality previously described herein.

Those skilled in the art will appreciate that such computer readable instructions can be written in a number of programming languages for use with many computer architectures or operating systems. Further, such instructions may be stored using any memory technology, present or future, including but not limited to, semiconductor, magnetic, or optical, or transmitted using any communications technology, present or future, including but not limited to optical, infrared, or microwave. It is contemplated that such a computer program product may be distributed as a removable medium with accompanying printed or electronic documentation, e.g., shrink wrapped software, pre-loaded with a computer system, e.g., on a system ROM or fixed disk, or distributed from a server or electronic bulletin board over a network, e.g., the Internet or World Wide Web.

CLAIMS

1. A method for integrating heterogeneous processing systems, said method comprising the steps of:

requesting by a first one of a resource component and coordinator pair a first indicator indicating a first quality of service supported by a second one of said pair;

responding by said second one of said pair with said first indicator;

receiving by said first one of said pair said first indicator;

responsive to said first indicator, determining by said first one of said pair whether said first quality of service is acceptable;

responsive to said determining, offering by said first one of said pair to permit one of joining in coordination with said second one of said pair and not joining in coordination with said second of said pair;

responsive to said offering by said first one of said pair to permit joining in coordination with said second one of said pair, requesting by said second one of said pair a second indicator indicating a second quality of service acceptable to said first one of said pair;

responding by said first one of said pair with said second indicator;

receiving by said second one of said pair said second indicator;

responsive to said second indicator, determining by said second one of said pair to permit joining in coordination with said first one of said pair; and

responsive to determining by said second one of said pair to permit joining in coordination with said first one of said pair, determining a quality of service provision for said coordination.

2. A method as claimed in claim 1, wherein said first one of said pair comprises a resource component and said second one of said pair comprises a coordinator.

3. A method as claimed in claim 2, wherein said resource component comprises a resource manager.

5 4. A method as claimed in claim 2, wherein said resource component comprises a resource adapter.

5. A method as claimed in claim 3, wherein said resource manager comprises a database manager.

10 6. A method as claimed in claim 3, wherein said resource manager comprises an Enterprise Resource Planning system.

15 7. A method as claimed in claim 2, wherein said coordinator comprises a transaction manager.

8. A method as claimed in claim 1, wherein said first one of said pair comprises a coordinator and said second one of said pair comprises a resource component.

20 9. A method as claimed in claim 8, wherein said resource component comprises a resource manager.

25 10. A method as claimed in claim 8, wherein said resource component comprises a resource adapter.

11. A method as claimed in claim 9, wherein said resource manager comprises a database manager.

30 12. A method as claimed in claim 9, wherein said resource manager comprises an Enterprise Resource Planning system.

13. A method as claimed in claim 1, said method being performed at startup of a server.

35 14. A method as claimed in claim 13, further comprising the prior step of:

40 sending, by said server, a request to a first one of a resource and coordinator pair to initiate requesting said first indicator indicating a quality of service supported by a second one of resource and coordinator pairs.

15. A method as claimed in claim 1, wherein at least one of said first and said second qualities of service comprises a commit phase support.

16. A method as claimed in claim 15, wherein said commit phase support comprises at least one of one phase commit support and two phase commit support.

17. A method as claimed in claim 1, wherein at least one of said first and said second qualities of service comprises recovery support.

18. A method as claimed in claim 1, wherein at least one of said resource component and coordinator pair comprises a platform-independent program code component.

19. A method as claimed in claim 1, wherein a quality of service provision is renegotiated.

20. A computer program product comprising computer program code tangibly embodied in a signal bearing medium, said computer program code comprising instructions to, when loaded into a computer system and executed, cause said computer to perform the steps of:

requesting by a first one of a resource component and coordinator pair a first indicator indicating a first quality of service supported by a second one of said pair;

responding by said second one of said pair with said first indicator;

receiving by said first one of said pair said first indicator;

responsive to said first indicator, determining by said first one of said pair whether said first quality of service is acceptable;

responsive to said determining, offering by said first one of said pair to permit one of joining in coordination with said second one of said pair and not joining in coordination with said second of said pair;

responsive to said offering by said first one of said pair to permit joining in coordination with said second one of said pair, requesting by said second one of said pair a second indicator indicating a second quality of service acceptable to said first one of said pair;

responding by said first one of said pair with said second indicator;

receiving by said second one of said pair said second indicator;

5 responsive to said second indicator, determining by said second one
of said pair to permit joining in coordination with said first one of said
pair; and

10 responsive to determining by said second one of said pair to permit
joining in coordination with said first one of said pair, determining a
quality of service provision for said coordination.

15 21. A computer program product as claimed in claim 20, wherein said first
one of said pair comprises a resource component and said second one of said
pair comprises a coordinator.

22. A computer program product as claimed in claim 21, wherein said
resource component comprises a resource manager.

20 23. A computer program product as claimed in claim 21, wherein said
resource component comprises a resource adapter.

24. A computer program product as claimed in claim 22, wherein said
resource manager comprises a database manager.

25 25. A computer program product as claimed in claim 22, wherein said
resource manager comprises an Enterprise Resource Planning system.

30 26. A computer program product as claimed in claim 21, wherein said
coordinator comprises a transaction manager.

27. A computer program product as claimed in claim 20, wherein said first
one of said pair comprises a coordinator and said second one of said pair
comprises a resource component.

35 28. A computer program product as claimed in claim 27, wherein said
resource component comprises a resource manager.

40 29. A computer program product as claimed in claim 27, wherein said
resource component comprises a resource adapter.

30. A computer program product as claimed in claim 28, wherein said resource manager comprises a database manager.

5 31. A computer program product as claimed in claim 28, wherein said resource manager comprises an Enterprise Resource Planning system.

32. A computer program product as claimed in claim 20, wherein the computer program code is executed at startup of a server.

10 33. A computer program product as claimed in claim 32, further comprising instructions to, when loaded into a computer system and executed, cause said computer to perform the prior step of:

15 sending, by said server, a request to a first one of a resource and coordinator pair to initiate requesting said first indicator indicating a quality of service supported by a second one of resource and coordinator pairs.

20 34. A computer program product as claimed in claim 20, wherein at least one of said first and said second qualities of service comprises a commit phase support.

25 35. A computer program product as claimed in claim 34, wherein said commit phase support comprises at least one of one phase commit support and two phase commit support.

30 36. A computer program product as claimed in claim 20, wherein at least one of said first and said second qualities of service comprises recovery support.

37. A computer program product as claimed in claim 20, wherein at least one of said resource component and coordinator pair comprises a platform-independent program code component.

35 38. A computer program product as claimed in claim 20, wherein a quality of service provision is renegotiated.

40 39. Apparatus for integrating heterogeneous processing systems, said apparatus comprising:

means for requesting by a first one of a resource component and coordinator pair a first indicator indicating a first quality of service supported by a second one of said pair;

5 means for responding by said second one of said pair with said first indicator;

means for receiving by said first one of said pair said first indicator;

10 means responsive to said first indicator, for determining by said first one of said pair whether said first quality of service is acceptable;

15 means responsive to said determining, for offering by said first one of said pair to permit one of joining in coordination with said second one of said pair and not joining in coordination with said second of said pair;

20 means responsive to said offering by said first one of said pair to permit joining in coordination with said second one of said pair, for requesting by said second one of said pair a second indicator indicating a second quality of service acceptable to said first one of said pair;

25 means for responding by said first one of said pair with said second indicator;

means for receiving by said second one of said pair said second indicator;

30 means responsive to said second indicator, for determining by said second one of said pair to permit joining in coordination with said first one of said pair; and

35 means responsive to determining by said second one of said pair to permit joining in coordination with said first one of said pair, for determining a quality of service provision for said coordination.

40. Apparatus as claimed in claim 39, wherein said first one of said pair comprises a resource component and said second one of said pair comprises a coordinator.

41. Apparatus as claimed in claim 40, wherein said resource component comprises a resource manager.

42. Apparatus as claimed in claim 40, wherein said resource component comprises a resource adapter.

43. Apparatus as claimed in claim 41, wherein said resource manager comprises a database manager.

44. Apparatus as claimed in claim 41, wherein said resource manager comprises an Enterprise Resource Planning system.

45. Apparatus as claimed in claim 40, wherein said coordinator comprises a transaction manager.

46. Apparatus as claimed in claim 39, wherein said first one of said pair comprises a coordinator and said second one of said pair comprises a resource component.

47. Apparatus as claimed in claim 46, wherein said resource component comprises a resource manager.

48. Apparatus as claimed in claim 46, wherein said resource component comprises a resource adapter.

49. Apparatus as claimed in claim 47, wherein said resource manager comprises a database manager.

50. Apparatus as claimed in claim 47, wherein said resource manager comprises an Enterprise Resource Planning system.

51. Apparatus as claimed in claim 39, further comprising:

means for sending, by said server, a request to a first one of a resource and coordinator pair to initiate requesting said first indicator indicating a quality of service supported by a second one of resource and coordinator pairs.

52. Apparatus as claimed in claim 39, wherein at least one of said first and said second qualities of service comprises a commit phase support.

53. Apparatus as claimed in claim 52, wherein said commit phase support comprises at least one of one phase commit support and two phase commit support.

5 54. A method as claimed in claim 39, wherein at least one of said first and said second qualities of service comprises recovery support.

10 55. Apparatus as claimed in claim 39, wherein at least one of said resource component and coordinator pair comprises a platform-independent program code component.

56. Apparatus as claimed in claim 39, wherein a quality of service provision is renegotiated.

ABSTRACT OF THE DISCLOSURE

METHOD, APPARATUS AND COMPUTER PROGRAM PRODUCT FOR INTEGRATING
HETEROGENEOUS SYSTEMS

Disclosed are a method, computer program product and apparatus for integrating resource and coordinator components in a heterogeneous computer system. The technique disclosed involves the introduction of a negotiation phase into the resource enlistment or registration process wherein the resource component and coordinator component request and respond with indicators showing the quality of service that each supports, thus jointly establishing at runtime a quality of service to be supported for the resource and coordinator pairing. The qualities of service may comprise commit phase support and recovery support.



THIS PAGE BLANK (USPTO)





Figure 1




THIS PAGE BLANK (USPTO)



Prior Art

Figure 2

THIS PAGE BLANK (USPTO)



Prior Art

Figure 3

THIS PAGE BLANK (USPTO)





Figure 4

THIS PAGE BLANK (USPTO)



Prior Art

Figure 5



THIS PAGE BLANK (USPTO)




Figure 6

THIS PAGE BLANK (USPTO)